

AARKO MANUFACTURING CO
AARKO BRAND VALVES

1. CI SLUICE VALVE IS 14846/2000 PN 1.6 EMBOSED ON BODY ISI MARKED

SIZE IN MM	50	65	80	100	125	150	200	250	300
RATE W/W	2366	2948	3550	4732	6188	7425	13832	22605	28756

SIZE IN MM	350	400	450	500	600
RATE W/W	44775	57330	77000	103000	142000

SIZE IN MM	50	65	80	100	125	150	200	250	300
RATE W/C	2275	2840	3415	4550	5970	7175	13470	22150	28100

SIZE IN MM	350	400	450	500	600
RATE W/C	44100	54800	73710	100300	139300
FOR BRASS SPINDLE 10% EXTRA (FOR BEVEL/SPUR GEAR 25% EXTRA)					

2. C.I. RISING SPINDLE SLUICE VALVE PN 1.0 WITH SS STEM GM WORKING PARTS										
SIZE IN MM	50	65	80	100	125	150	200	250	300	350
RATE	3686	4425	5307	7076	9140	11200	18575	30308	38350	46410
FOR CLASS 150 10% EXTRA										

3. C.I. REFLEX VALVES FLANGED ISI MARKED IS 5312 PART 1 RUBBER FLAP										
SIZE IN MM	50	65	80	100	125	150	200	250	300	
RATE	1920	2530	2950	3915	5790	6370	12485	20020	26390	

4. D.I. D/F RESILIENT SEATED GATE VALVE BS: 5163 PN 1.6										
SIZE IN MM	50	65	80	100	125	150	200	250	300	
RATE	3367	4186	5051	6735	8736	10374	19110	35500	51900	

SIZE IN MM	350	400	450	500	600
RATE	103200	140700	177100	282700	361900

5. D.I. SINGLE FLANGE TEMPER PROOF AIR VALVE SS FLOATS										
SIZE IN MM	40	50	80	100	150	200				
RATE	2366	2495	4732	5688	10556	15110				

6.D.I. SINGLE FLANGE AIR VALVE DUO- JET TEMPER PROOF										
SIZE IN MM	40	50	80	100	150	200				
RATE	4186	4277	6370	7826	12200	17840				

7. C.I SINGLE AIR VALVE OR AIR RELEASE VALVE S/E										
SIZE IN MM	15	20	25	32	40	50	65	80	100	
RATE	655	675	695	838	892	928	1412	1875	2512	

8. C.I DOUBLE AIR VALVE OR AIR RELEASE VALVE H-7 G&K TYPE HEAVY F/E										
SIZE IN MM	15	20	25	32	40	50	80	100	150	200
RATE					1438	1602	2685	3732	6006	12195

9. CI ISOLATING DOUBLE AIR VALVE (SPINDLE TYPE)										
SIZE IN MM	15	20	25	32	40	50	80	100	150	
RATE					4040	4142	6238	8818	11925	

10. C.I.KINETIC AIR VALVE TESTED										
SIZE IN MM	40	50	80	100	150					
RATE	1866	2038	2860	3950	5825					

PD	MD	GD
KB	IW	IC

11. C.I. FOOT VALVE ISI MARKED SCREWED "K" TYPE "O" FRICTION				
SIZE IN MM	50	65	80	100
RATE	580	820	1200	1900

12. C.I. FOOT VALVE ISI MARKED FLANGED SWING TYPE									
SIZE IN MM	50	65	80	100	125	150	200	250	300
RATE	1456	1685	2275	3460	5460	6645	16020	20335	26680

13. C.I. GATE VALVE SCREWED ALL IRON IS:778									
SIZE IN MM	15	20	25	32	40	50	65	80	100
RATE	214	234	314	390	440	680	1060	1260	2480

14. C.I GATE VALVE FLANGED BWP			
SIZE IN MM	25	40	50
RATE	690	1150	1840

15. C.I. BUTTERFLY VALVES ISI CLUTCH TYPE D.I.DISC REGULATING TYPE PN1.6 UPTO 200MM HANDLE TYPE								
SIZE IN MM	40	50	65	80	100	125	150	200
RATE	846	1020	1165	1328	1638	2002	2275	4225

SIZE IN MM	250	300
WITH GEAR	8405	10175

16. C.I.BUTTERFLY VALVE ISI SS DISC CF8 PN 1.6								
SIZE IN MM	40	50	65	80	100	125	150	200
RATE	960	1185	1480	1550	1866	2675	3140	5155

SIZE IN MM	250	300
WITH GEAR	11285	14378

17. C.I. DUAL PLATE CHECK VALVE WITH S G DISC										
SIZE IN MM	40	50	65	80	100	125	150	200	250	300
RATE	1223	1344	1632	1825	2266	3456	3888	6375	10990	13100

18. M.S/ S.G WAFER TYPE CHECK VALVE										
SIZE IN MM	40	50	65	80	100	125	150	200	250	300
RATE	585	653	790	897	1307	1658	2106	3744	5392	7375

19. C.I. BALL VALVE SCREWED ENDS ISI WITH TEFLON SEALS POWDER COATING FULL BORE AS PER IS 9890 304 S.S. BALL & STEAM M.S LEVER WITH PVC										
SIZE IN MM	15	20	25	32	40	50	65	80	100	
RATE	228	255	410	610	765	1183	2457	3367	5825	

20. C.I BALL VALVE FLANGED 3PC DESIGN ISI CL 150/TABLE F 304 SS BALL STEM MS LEVER HANDLE										
SIZE IN MM	15	20	25	32	40	50	65	80	100	150
RATE	437	565	802	1165	1484	2220	3385	4750	8445	23588

21. Y STRAINER FLANGED WITH SS MESH E/D TABLE									
SIZE IN MM	15	20	25	32	40	50	65	80	100
RATE	338	432	598	808	1010	1253	1575	2079	3232

SIZE IN MM	125	150	200	250	300
RATE	4915	5442	10490	16755	26050

FOR CL 150 FLANGES 10% EXTRA) FOR BRASS MESH 10% EXTRA

PD	MD	GD
KB	IW	IC

22. CI Y TYPE STRAINER SCREWED WITH S/S MESH

SIZE IN MM	15	20	25	32	40	50	65	80
RATE	156	215	350	468	653	1030	1522	1736

23. C.I. T TYPE STRAINER FLANGED WITH S/S JALI DRILLED IS 1538

SIZE IN MM	50	65	80	100	125	150	200	250	300
RATE	1444	2015	2242	3506	5530	6250	11685	24625	31810

(FOR BRASS MESH 10% EXTRA)

TERMS

2.GST EXTRA

PD	MD	GD
KB	IW	IC