

KARTAR® VALVES



Controlling fluids is our expertise

TERMS & CONDITIONS :

- * This cancels our all previous issues.
- * All prices are Ex. works, Jalandhar.
- * Excise duty will be charged extra as applicable (presently @12.36%).
- * C.S.T. will be charged extra as applicable (presently @2% against form c, otherwise @6.05%)
- * Any other levies/taxes if applicable will be charged extra.
- * All orders subject to the confirmation by the head office, Jalandhar.
- * We are not be responsible for any damage/ breakage, theft & shortage material received by the consignee in transit. but we can arrange insurance at the cost of consignee before dispatch.
- * We can arrange 3rd party inspection at our works, but inspection charges will be borne by the consignee.
- * Prices are subject to change without prior notice.
- * Some Products are outsourced on which there is no Excise Duty They have been marked separately.
- * All disputes subject to Jalandhar Jurisdiction.

**Without
Excise Duty**

Price List of

- ❖ CAST IRON & DUCTILE IRON VALVES (K500)
- ❖ GUN METAL (BRONZE) & BRASS VALVES (K600)
- ❖ BUTTERFLY & CHECK VALVES (K700)
- ❖ CAST IRON & SS BALL VALVES (K800)
- ❖ FIRE CONTROL VALVES (K900)
- ❖ DUCTILE IRON FITTINGS ISI MARK IS : 9523
- ❖ FLANGE OUTER DIMENSIONS



An ISO:9001 Co.

PRICE LIST NO. : JMW/30 W.E.F 15-07-2013

Controlling fluids is our expertise

KARTAR®
AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 C.I./D.I.

W.E.F 15-07-2013

PRICE LIST OF CAST IRON & DUCTILE IRON PRODUCTS

Item Code	CAST IRON SLUICE VALVE FLANGED ENDS STEM OF SS(AISI410) & BRONZE (GUN METAL) WORKING PARTS IS : 14846																
	TYPE PD	OPERN.	Pn RATING	'KARTAR'  MARKED													
				50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K501	Non-Rising	CAP	1.0	3115	3715	4439	6046	7414	8992	15920	23257	29309	52544	63614	74640	123685	143051
K502		H/W	1.0	3201	3850	4602	6213	7679	9301	16558	23755	29806	53475	64581	75753	125573	144931
K503		CAP	1.6	3364	4013	4792	6522	8008	9702	17174	24880	31365	56336	68702	80583	See K509	See K509
K504		H/W	1.6	3451	4158	4965	6700	8289	10026	17737	25415	31888	57336	69735	81810	See K509	See K509
K504 O	Open End	H/W	1.0	3848	4631	5528	7466	9230	11188	21431	On Request	On Request	On Request	On Request	On Request	On Request	On Request
K505	Rising Spindle (AS PER IS)	H/W	1.0	4169	5008	5975	8073	9983	12096	21533	30877	38751	69271	83946	98487	169519	195660
K506		H/W	1.6	4489	5397	6451	8712	10777	13038	23052	33034	41460	74289	90651	106350	See K510	See K510
K507	GEAR (Box Type)			9074						11345				15378			
K508	GEAR (Bevel Type)			4532			5326			NA							

Item Code	D.I. SLUICE VALVE FLANGED ENDS, STEM OF SS (AISI 410), G.M. WORKING PARTS IS : 14846 WITH CAP/HAND WHEEL															
	TYPE PD	Pn RATING	'KARTAR'  MARKED													
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
K509	Non-Rising	1.6	3963	4770	5694	7690	9507	11524	22074	31678	39746	76392	92263	108258	203300	234654
K510	Rising Spindle	1.6	5148	6198	7397	9993	12362	14968	28693	41205	51664	99303	119993	140736	264287	305091

Item Code	D.I. RESILIENT (SOFT) SEATED GATE VALVE WITH POCKET LESS BODY, SS STEM (AISI 410), EPDM COATED DI WEDGE 100% VACCUM TIGHT DESIGN WITH TOROIDAL SEALING RINGS & OVER 250 MICRON EPOXY COATING IN PN 16 DESIGNED TO BS:5163/IS:14846 NON-RISING STEM TYPE WITH HAND WHEEL OPERATION																
	TYPE	Pn RATING	'KARTAR'														
			50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm	
K511	Non-Rising	16	3450	4160	4965	6690	8290	9990	17740	57580	82300	144100	197660	411900	587000	690000	

Item Code	CAST IRON SLUICE VALVE FLANGED ENDS GLAND LESS TYPE IS : 14846-2000 ALT-I WITH SS 410 STEM & GM WORKING PARTS											
	TYPE ALT-1	OPERN.	Pn RATING	'KARTAR'								
				50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm
K512	Non-Rising Type	CAP	1.0	3737	4461	5326	7257	8901	10777	19099	27913	35170
K513		H/W	1.0	3963	4689	5554	7539	9188	11058	19667	28708	35966

1. ADD 8% FOR PN 1.6 PRESSURE RATING.

Item Code	CAST IRON NON RETURN (REFLUX) VALVES, FLANGED ENDS IN SWING TYPE DESIGN IS:5312 PART-1														
			'KARTAR'  MARKED												
	SEAT	PN	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm
K514	RUBBER	1.0	2552	3180	3975	5078	7597	8847	17342	25810	33430	58050	69454	81658	146425
K515	GUN METAL	1.0	2693	3353	4223	5337	7950	9312	17850	26854	34521	60948	72936	85736	146425
K516	RUBBER	1.6	2725	3396	4213	6203	8063	9971	18261	27163	35192	-----	-----	-----	-----
K517	GUN METAL	1.6	2860	3564	4418	6451	8322	10469	18796	28276	36338	76652	86871	122642	221892

(200mm, 250mm, 300mm, VALVES IN PN 1.0 AND ALL VALVES IN PN 1.6 ARE IN DUCTILE IRON)

- 10% EXTRA FOR SLUICE VALVE WITH FORGED BRASS STEM. • 5% EXTRA FOR STEM (AISI-202) & 10% for (AISI-304). • 15% EXTRA FOR BODY & SEAT IN SS. • 5% EXTRA FOR AIR TESTING
- 5% EXTRA FOR BACK SEAT ARRANGEMENT. • 5% EXTRA FOR POSITION INDICATOR (Only available with H/W) • 10% EXTRA FOR SCREWED BODY & SEAT RINGS. • 25% EXTRA ON THESE RATES FOR EXTERNAL BYE PASS ARRANGEMENT • 2% EXTRA CHARGE FOR BYE PASS HOLES WITH THREAD & PLUG. • 5% EXTRA FOR SLUICE VALVE WITH GLANDLESS DESIGN (ONLY APPLICABLE ON NON-RISING STEM)


FOR DRILLINGS OTHER THAN IS : 1538 SEE TABLE ON LAST PAGE

CAST IRON FOOT VALVES FLANGED ENDS SWING TYPE OPERATION WITH RUBBER SEAT AS PER IS :4038														
Item Code	'KARTAR'													
	DISC	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm				
K518	SINGLE	1588	1820	2376	3880	5893	7112	-----	-----	-----				
K519	DOUBLE	-----	-----	-----	-----	-----	-----	17657	25032	35545				
Please consider 6-8 weeks delivery from order of foot valves.														
Item Code	CAST IRON DOUBLE ORIFICE KINETIC AIR RELEASE VALVE AS PER IS : 14845 IN PN 1.0 (TYPE DK)													
	'KARTAR' ( APPLIED FOR)													
	40mm	50mm	80mm	100mm	150mm	200mm								
K520	4201	4944	7282	11417	21224	39591								
1. ADD 5% FOR PN 1.6 PRESSURE RATING.														
Item Code	CAST IRON SINGLE ORIFICE KINETIC AIR VALVE DESIGNED AS PER IS : 14845 IN PN 1.0 (ISI MARKED APPLIED FOR)													
	'KARTAR' ( APPLIED FOR)													
	ENDS	15mm	20mm	25mm	40mm	50mm								
K521	SCREWED	3606	3606	3606	3815	4400								
K522	FLANGED	3826	3826	3826	4013	4620								
1. ADD 5% FOR PN 1.6 PRESSURE RATING.														
Item Code	CAST IRON KINETIC AIR VALVE DOUBLE ORIFICE AS PER IS : 14845 PN 1.0 WITH ISOLATING VALVE (SLUICE VALVE PN 1.0) WITH BEVEL GEAR													
	'KARTAR' ( APPLIED FOR)													
	40mm	50mm	80mm	100mm	150mm	200mm								
K523	12083	12828	16587	23175	36129	66150								
1. ADD 5% FOR PN 1.6 PRESSURE RATING.														
Item Code	TAMPER PROOF DOUBLE ORIFICE KINETIC AIR VALVE DESIGNED AS PER IS : 14845 TYPE DK WITH STAINLESS STEEL FLOATS IN RAL 5005 BLUE EPOXY COATING													
	'KARTAR'													
	BODY	PN	40mm	50mm	80mm	100mm	150mm	200mm						
K524	C. I.	1.0	5998	7078	10397	16307	30308	49414						
K525	D. I.	1.6	7795	9195	13517	22006	42436	74122						
1. ADD 5% on C. I. Body for PN 1.6 PRESSURE RATING														
Item Code	DUCTILE IRON SINGLE CHAMBER TRIPPLE ACTION DUOJET AIRVALVE, WITH SS FLOATS, EPOXY COATING, TAMPER PROOF DESIGN FLANGED END.													
	'KARTAR'													
	50mm	80mm	100mm	150mm										
K525-A	7928	11109	17693	31867										
1. ADD 5% on C. I. Body for PN 1.6 PRESSURE RATING														
Item Code	CAST IRON AIR RELEASE VALVE AS PER G & K CATALOGUE H-7 DOUBLE ORIFICE FLANGED PN 1.0													
	'KARTAR'													
	50mm	65mm	80mm	100mm	150mm									
K526	3942	4780	5000	6395	14631									
1. ADD 5% FOR PN 1.6 PRESSURE RATING.														
Item Code	CAST IRON FLANGED STRAINERS WITH SS MESH IN PN 1.0													
	'KARTAR'													
	TYPE	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm
K527	Y TYPE	1979	2508	2641	4085	6488	8016	16322	-----	-----	-----	-----	-----	-----
K528	T TYPE	1874	2337	2812	4040	5728	7546	16322	20501	28185	52259	56387	75549	109649
ADD 5% FOR PN 1.6 PRESSURE RATING														
Item Code	CAST IRON Y STRAINER SCREWED FEMALE ENDS WITH SS SCREEN IN PN 1.0													
	'KARTAR'													
	15mm	20mm	25mm	32mm	40mm	50mm								
K529	268	383	583	788	1003	1717								
K530*. CAST IRON FIRE HYDRANT AS PER IS : 909 FIG. 1A (COMPLETE) 80mm (Sluice Valve , Duck Foot Bend, Riser, Coupling + Cap, Chain, Nut Bolt & Rubber Packing)													RS. 8652	
K531*. CAST IRON FIRE HYDRANT AS PER IS : 909 FIG. 1B													RS. 4851	
K532. STAND POST (Single Outlet MCGM Type)													RS. 9550	
(ALL FIRE HYDRANTS & STAND POSTS WITH C.I. COUPLING)														

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 G.M.

PRICE LIST OF GUN METAL (BRONZE) & BRASS PRODUCTS

W.E.F 15-07-2013


Item Code	GUN METAL (BRONZE) GATE, GLOBE & CHECK VALVES IS : 778/1980 CL-1									
	'KARTAR'									
		15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K601	GATE VALVE SCREWED	439	618	859	1331	1770	2736	4331	6640	12903
K602	CHECK VALVE HORIZONTAL	342	517	781	1191	1697	2489	4045	5500	11572
K603	CHECK VALVE VERTICAL	225	382	517	826	978	1533	2573	4539	8117
K604	GLOBE / WHEEL VALVE	439	618	876	1348	1798	2764	4376	6701	13022
K604-E	GLOBE / WHEEL VALVE No.-4	330	450	720	960	1440	2295	-----	-----	-----
K605	GATE VALVE FLANGED	1725	2135	3398	5106	5944	7505	13095	18105	31261
K606	GLOBE VALVE FLANGED	1725	2135	3398	5106	5944	7505	13095	18105	31261

Item Code	PRESSURE REDUCING VALVE (PISTON TYPE) FOR PLUMBING APPLICATIONS									
	'KARTAR'									
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	
K607	BRONZE BODY	1990	2664	4312	5494	6474	10786	15638	20319	
K608	FORGED BRASS BODY 	1115	1260	2065	3185	4425	7335	-----	-----	

Item Code	BALL VALVES SCREWED WITH SS /BRASS BALL & SPINDLE AND TEFLON SEATS							
	'KARTAR'							
	BODY	15mm	20mm	25mm	32mm	40mm	50mm	
K609	GUN METAL BODY (Tested to 500 Psi)	354	449	641	1124	1556	2416	
K610	GUN METAL BODY (Tested to 300 Psi)	315	394	579	978	1371	2118	
K611	BRASS FORGED BODY (PN 1.6)	247	335	556	938	1163	1932	
K611-A	BRASS FORGED BODY (PN 1.6) FB Chrome Plated. 	330	490	770	1410	1950	2780	
K611-B	BRASS BALL VALVE (K FLO) for Plumbing Application Only 	230	330	470	-----	-----	-----	

Item Code	BRONZE SCREWED Y STRAINER WITH SS MESH PN 1.0					
	'KARTAR'					
	15mm	20mm	25mm	32mm	40mm	50mm
K612	545	933	1545	2483	3236	6303

Item Code	FORGED BRASS MULTI CHECK VALVE		
	'KARTAR'		
	15mm	20mm	25mm
K613 	255	395	475



K611



K608

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 BFLY


PRICE LIST OF BUTTERFLY & CHECK VALVES

W.E.F 15-07-2013

Item Code	WAFERTYPE BUTTERFLY VALVES IN C.I. BODY WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. STAINLESS STEEL DISC & STEM, LEVER OPERATED AS PER IS : 13095 IN PN 1.0 IN DIRECT ACTUATOR MOUNTABLE DESIGN																				
		'KARTAR'  MARKED																			
	DISC	25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm				
K701	CF8 (304)	1415	1595	1660	1890	2150	2675	3340	3685	7160	11110	15110	24380	32330	40300	81230	102200				
K702	CF8M (316)	1625	1835	1910	2175	2490	3310	3845	4230	8230	13890	18890	32905	43650	54400	109650	137960				
* SS DISC UPTO 200mm ARE INVESTMENT CASTED AND ABOVE THAT FABRICATED.																					
Item Code	REPLACEABLE LINER WAFER TYPE BUTTERFLY VALVE IN C.I. BODY, SS DISC & STEM, LEVER OPERATED IS : 13095 IN DIRECT ACTUATOR MOUNTABLE DESIGN IN NITRILE/EPDM LINER IN PN 1.0																				
		'KARTAR'  MARKED																			
	DISC	50mm			65mm			80mm			100mm			125mm			150mm			200mm	
K703	CF8 (304)	1660			1890			2150			2675			3340			3685			7160	
K704	CF8M (316)	1910			2175			2490			3310			3845			4230			8230	
K705	Spare Liner Nitrile/EPDM	485			550			635			785			1020			1090			2195	
Item Code	WAFERTYPE BUTTERFLY VALVES (SLIMLINE RANGE) BODY CAST IRON, DISC SG IRON, STEM SS 410, LINER EPDM/NITRILE, LEVER OPERATED																				
		'KARTAR' (SLIM LINE)  MARKED																			
	DISC	25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm				
K706	D.I.	905	1030	1175	1335	1545	1890	2290	2520	4590	7340	10890	21200	28215	35040	67325	85080				
K707	CF8 (304)	1050	1185	1345	1535	1775	2185	2835	3515	7160	11110	15110	24380	32330	40236	81230	102200				
* LEVER IS RECOMMENDED UPTO 200mm., BUT AVAILABLE UPTO 300mm. ABOVE THAT RATES ARE WITH GEAR 1. ADD 10% ON THESE FOR LUG TYPE VALVES (UP TO 200 mm ONLY) ONLY APPLICABLE ON K701 & K702. 2. ADD 5% ON THESE FOR PN 1.6 RATING UP TO 300 mm & 10% ABOVE THAT.																					
Item Code	WAFER TYPE CAST IRON BUTTERFLY VALVE WITH (SG IRON) DISC EPDM LINER, SS STEM AND LEVER OPERATED PN 1.0																				
		'JMW' (AQUALINE)  MARKED																			
	40mm	50mm			65mm			80mm			100mm			125mm			150mm				
K708	935	961			1223			1281			1643			2027			2447				
Item Code	GEAR FOR BUTTERFLY VALVES																				
	25mm to 200mm					250mm to 300mm					(ALL RATES ABOVE 300MM ARE WITH GEAR)										
K709	3265					3925															
Item Code	COMPACT WAFER TYPE D.I. CHECK VALVES PN 1.0																				
		'KARTAR'																			
	BODY	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm							
K710	D.I.	630	715	840	1080	1430	1920	2520	3490	6530	9850	13410	16935	21220							
STANDARD DISC OF INVESTMENT CASTED STAINLESS STEEL CF8 UP TO 100mm AND C.S./M.S. ABOVE THAT ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING.																					
Item Code	DUAL PLATE CHECK VALVES WITH NITRILE/EPDM SEAT, STAINLESS STEEL SHAFT & SPRINGS IN PN 1.0																				
		'KARTAR'																			
	DESIGN	WAFER TYPE								FLANGED TYPE											
	BODY AND DOOR	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm						
K711	BODY C.I. AND DOORS DUCTILE	1070	1220	1660	2330	3930	4230	7090	20470	25100	43900	65800									
K712	BODY AND DOORS DUCTILE/CAST STEEL	1620	1830	2490	3495	5895	6345	10635	30705	37650	65850	98700									
ADD 25% FOR FLANGED INSTEAD OF WAFER TYPE. ● ADD 5% EXTRA FOR PN 1.6 PRESSURE RATING.																					
Item Code	WAFERTYPE BUTTERFLY VALVES IN CAST STEEL BODY WITH INTEGRALLY MOULDED LINER OF NITRILE OR EPDM. STAINLESS STEEL DISC & STEM, AS PER IS : 13095 IN CLASS 150 DIRECT ACTUATOR MOUNTABLE DESIGN																				
		'KARTAR'  MARKED																			
	DISC	25mm	40mm	50mm	65mm	80mm	100mm	125mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm				
K713	CF8 (304)	2075	2075	2075	2360	2690	3345	4175	4610	8950	13890	18890	-----	-----	-----	-----	-----				

Controlling fluids is our expertise

KARTAR®
AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 BV

W.E.F 15-07-2013

PRICE LIST OF BALL VALVES

Item Code	CAST IRON BALL VALVES WITH TEFLON SEALS, STAINLESS STEEL BALL & STEM, MS LEVER WITH PVC COATING AS PER IS : 9890 ISI MARKED									
		'KARTAR'  MARKED								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K801	SCREWED 2PC DESIGN	252	310	378	683	814	1213	2714	3990	7056
K802	FLANGED 3PC DESIGN	740	893	1082	1523	1796	2494	4300	5093	9550
K803	FLANGED 2PC DESIGN	PRODUCTION DISCONTINUED								
Item Code	INVESTMENT CASTED STAINLESS STEEL BALL VALVE (WOG 1000) RATING WITH STAINLESS STEEL BALL, PTFE SEALS AND STAINLESS STEEL HANDLE									
		'KARTAR'								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K804	SCREWED 2 PC. COMPACT BODY	410	495	850	1355	1600	2670	-----	-----	-----
K805	SCREWED 2 PC. HEAVY BODY	420	525	935	1495	1750	2990	4990	6290	12590
K806	SCREWED 3 PC. HEAVY BODY	685	925	1565	2360	2650	4390	-----	-----	-----
K807	FLANGED 3 PC. CL-150 DESIGN	1340	1690	2160	3550	4320	6300	8250	11150	17250
Item Code	STAINLESS STEEL BALL VALVE WITH INVESTMENT CASTED BODY & ALL MACHINED FLANGE WITH S.S. BALL, PTFE SEALS AND S.S. HANDLE									
		'KARTAR'								
	TYPE	15mm	20mm	25mm	32mm	40mm	50mm	65mm	80mm	100mm
K808	FLANGED 3 PC. CL-150 DESIGN	1140	1440	1840	3040	3670	5140	6780	9040	14640
Item Code	CAST IRON Y STRAINER SCREWED FEMALE ENDS WITH SS SCREEN IN PN 1.0									
		'KARTAR'								
	15mm	20mm	25mm	32mm	40mm	50mm				
K529	268	383	583	788	1003	1717				

Controlling fluids is our expertise

KARTAR®

AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 FIRE

W.E.F 15-07-2013

PRICE LIST OF FIRE CONTROL PRODUCTS

Item Code		SIZE	GUN METAL	STAINLESS STEEL
K901	LANDING VALVE (COMPLETE) SINGLE OUTLET IS : 5290 ISI MARKED (INLET 75mm X OUTLET 63mm)		8610	5880
K901-D	LANDING VALVE (COMPLETE) DOUBLE OUTLET IS : 5290 ISI MARKED (INLET 75mm X OUTLET 63mm)		17220	11760
K902	DELIVERY HOSE COUPLING COMPLETE IS : 903 ISI MARKED	63mm	3705	2205
K903	BRANCH PIPE WITH NOZZLE IS : 903 ISI MARKED	63mm	2940	1890
K904	AIR RELEASE VALVE	25mm	835	-----
K905	SIGHT GLASS	25mm	950	-----
K906	SPARE COUPLING FOR LANDING VALVE		1900	1550
K907	FORGED BRASS AIR VENTS WITH INBUILT STRAINER	15mm 20mm 25mm	530 745 775	
K908 	FORGED BRASS SPRINKLERS IN 15mm SCREWED IN 175 Psi-68° RATING 	Pendent Upright Side Wall Concealed	185 185 195 785	
K909	FIRE HOSE ISI MARKED TO IS:636 TYPE A IN 63mm X 15mts. LENGTH* (WIRE BINDING COST NOT INCLUDED IN THIS)		4650	
K910	C.I. TWO WAY FB CONNECTION WITH INBUILT CHECK VALVE	With 20mm Gate Valve Without Gate Valve	3325 2720	
K911	C.I. FOUR WAY FB CONNECTION WITH INBUILT CHECK VALVE	With 20mm Gate Valve Without Gate Valve	8425 7825	
K912-H 	HOSE REEL DRUM WITH 20mm x 30 Mtr. FIRE HOSE (HEAVY DUTY)		11500	
K912-M 	HOSE REEL DRUM WITH 20mm x 30 Mtr. FIRE HOSE (MEDIUM DUTY)		7750	

• FOR C.I. FIRE HYDRANTS, STANDPOST ETC. REFER OUR PRICE LIST NO. JMW / 30 C.I. ITEM NO. K530 TO K532

* FIRE HOSE K909 IS A BOUGHT OUT ITEM, SUBJECT TO AVAILABILITY.

Controlling fluids is our expertise

KARTAR®
AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



PRICE LIST NO. : KV / 30 LVS

W.E.F 15-07-2013

PRICE LIST OF SPARES OF LANDING VALVE

SR. NO.	ITEM DESCRIPTION	MATERIAL	PRICE PER PC/SET
1	SPARE COUPLING COMPLETE (WITHOUT CHAIN & CAP)	STAINLESS STEEL GUN METAL	1550 1900
2	LUG BUSH ASSEMBLY (MALE BUSH + FEMALE BUSH+SPRING+ LOCK)	STAINLESS STEEL GUN METAL	350 420
3	BONNET ASSEMBLY (BONNET + STEM + STEM NUT+ GLAND BUSH)	STAINLESS STEEL GUN METAL	1350 1900
4	HANDWHEEL (DUCTILE IRON)		210
5	PVC CAP		50
6	CHAIN		50
7	RUBBER SEAL FOR LANDING VALVE COUPLING		50
8	SPINDLE FOR LANDING	STAINLESS STEEL BRASS	270 590
9	SPINDLE + SEAT+WASHER + NUT FOR LANDING VALVE	STAINLESS STEEL BRASS	770 1130
10	RUBBER SEAL FOR LANDING VALVE		50
11	LUG BUSH ASSEMBLY FOR HOSE COUPLING (FEMALE BUSH +SPRING+LOCK)	STAINLESS STEEL GUN METAL	270
12	RUBBER SEAL FOR HOSE COUPLING		50

KARTAR®

AN ISO 9001 COMPANY



PRICE LIST NO. : KV / 30 D.I. FITTINGS

W.E.F 15-07-2013

PRICE LIST OF DUCTILE IRON FITTINGS ISI MARK IS : 9523

'KARTAR' ISI MARKED											
Items	80mm	100mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
Flange Spigot	920	1150	1840	2645	4160	5460	8250	10500	13200	20700	29700
Flange Socket	805	1035	1610	2300	3380	4680	7350	9300	11550	15660	25200
Blank Flange	520	520	910	1430	2210	3120	5100	6600	9300	15300	24300
End Cap	650	650	1040	2210	2990	3250	7650	9750	12150		
End Plug	390	650	1170	1950	2730	4160	7200	8700	10800		
Collar		1430	2080	3250	4680	6110					
D/s Bend 90*	1035	1265	2300	3680	5980	8840	13500	17250	22500	34200	
D/s Bend 45*	920	1150	1955	3105	4940	6500	9750	12750	16500		
D/s Bend 22 1/2*	805	1035	1840	2645	4160	5720	8250	10200	13200		
D/s Bend 11 1/4*	805	1035	1725	2530	4030	5330	8250	9300	11550		
A/s Tee 80 X 80	1380										
A/s Tee 100 X 100	1725	1725									
A/s Tee 150 X 150	2415	2415	3105								
A/s Tee 200 X 200	3450	3450	4255	4600							
A/s Tee 250 X 250	5200	5200	5850	6500	7540						
A/s Tee 300 X 300		7150	7540	8840	8320	10010					
A/s Tee 350 x 350						15300	15750				
A/s Tee 400 x 400						16500		20250			
A/s Tee 450 x 450					19500	21750			24750		
Y-Tee 100 x 100 x		2340									
Y-Tee 150 x 150 x		3900	4160								
D/s Tapper 100 X	920										
D/s Tapper 150 X	1690	1495									
D/s Tapper 200 X		2600	2300								
D/s Tapper 250 X		3120	3640	3510							
D/s Tapper 300 X		4940	4940	4940	4550						
D/s Tapper 350 X					7200	7200					
D/s Tapper 400 X							9000				
D/s Tapper 450 X								10500			
D/F Bend 90*	1400	1680	2800	4200	7000	9800					
Duck Foot Bend	2800	3500	6300								
A/F Tee 80 x 80 x	2100										
A/F Tee 100 x 100 x	2520	2660									
A/F Tee 150 x 150 x	3920	3920	4200								
A/F Tee 200 x 200 x	5600	5600	6440	6440							
D/F Taper 100 x	1260										
D/F Taper 150 x	1960	1960									
D/F Taper 200 x		3080	2940								
D/F Taper 250 x			4200	4480							
D/F Taper 300 x				5600	6160						
F/ hydrant Tee 40 X		1690	2470								
F/ hydrant Tee 50 X		1690	2470	4290							
F/ hydrant Tee 80 X	1820	1725	2415	3770	4940	7150	8700	10800	12900		
F/ hydrant Tee 100 X		2210	3380	3640	5850	7280	9600	11250	13800		
M/J COLLAR	1680	2240	3220	4480	6300	7980	12000	15200	19200	29400	38220
Flanges (PN 10)	80 mm	100 mm	125 mm	150 mm	200 mm	250 mm	300 mm	350 mm	400 mm	450 mm	500 mm
	490	532	658	812	1092	1680	2128	2864	3604	4096	5020
	600 mm	700 mm	750 mm	800 mm	900 mm	1000 mm					
	7007	10421	12614	13974	16966	22270					
RUBBER GASKET											
SIZE	80mm	100mm	150mm	200mm	250mm	300mm	350mm	400mm	450mm	500mm	600mm
NATURAL	40	50	50	70	130	170	300	340	480	570	570
EPDM	100	110	130	180	310	410	740	840	1180	1420	1930
NOTE :- THIS IS PRICE LIST FOR ISI MARKED, D.I. FITTINGS AS PER IS:-9523, WE MAKE NO COMMITMENT FOR WEIGHTS AS IS:-9523 DOES NOT SPECIFY ANY WEIGHTS.											
Terms & Conditions :- ** This Price list supercedes our weight chart given in our price list no. 29 dt:- 15.06.12 **All Prices are Ex. Works, Jalandhar ** Excise Duty will be charged extra as applicable(presently @ 12.36%) ** C.S.T. will be charged extra as applicable (presently @ 2% against form C, otherwise @ 6.05%)											

Controlling fluids is our expertise

KARTAR®
AN ISO 9001 COMPANY



ISO 9001:2008
BSI
British Standards
CERTIFIED CO.



FLANGE OD TABLE

W.E.F 15-07-2013

Flange Outer Diameters (OD) as per different standards (All dimensions in mm)

SIZE	IS:1538 & IS:14846	IS : 9523		TABLE	TABLE	TABLE	TABLE	CL 150
		PN 1.0	PN 1.6	D	E	F	H	
50mm	165	NA	NA	152	152	165	165	150
65mm	185	NA	NA	165	165	184	184	180
80mm	200	200	200	184	184	203	203	190
100mm	220	220	220	216	216	229	229	230
125mm	250	250	250	254	254	279	279	255
150mm	285	285	285	279	279	305	305	280
200mm	340	340	340	337	337	368	368	345
250mm	395	395	400	406	406	432	432	405
300mm	445	445	455	457	457	489	489	485
350mm	505	505	520	527	527	552	552	535
400mm	565	565	580	578	578	610	610	595
450mm	615	615	640	641	641	673	673	635
500mm	670	670	715	705	705	737	737	700
600mm	780	780	840	826	826	851	851	815

Our standard flanges are as per IS:1538. For flanges/drillings other than IS:1538

- * Add 3% for drilling where flanged OD is less than or equal to flange OD as per IS:1538.
- * Add 10% for drilling where flange OD is more than flange OD as per IS:1538.

Note : All orders where flange OD needs to be ammended are subject to our prior confirmation before order due to quantity and casting constraints.